Date: 07/24/00

STATEMENT OF WORK (SOW)
For the Repair of the
Management Processor CCA
NSN: 5998-01-455-1523

P/N: 176920-100; CAGE: 13973

SOW-01-844-1-8I275B-2/1

- 1. This SOW identifies the work effort that shall be performed by the Contractor to repair the Management Processor CCA; NSN 5998-01-455-1523; P/N 176920-100; CAGE 13973.
- 2. The attached manuscript has been reviewed and is concurred upon by the following signers:

Harvey C. DEARING

Weapon System/Equipment Manager Air Command And Control Systems Section (Code 844-1) MCLB, Albany GA

GYSGT R. WRIGHT

Equipment Specialist Air Command And Control Systems Section (Code 844-1) MCLB, Albany GA

(Code 844-1) MCLB, Albany GA

**Systems Section** 

Inventory Manager

Air Command And Control

# TABLE OF CONTENTS

Paragraph	<u>Title</u>	Page
	Cover Page	
	Table of Contents	i
1.0	Scope	1
2.0	Applicable Documents	1
2.1	Military Standards	1
2.2	Other Government Documents and Publications	1
2.3	Industry Standards	2
3.0	Requirements	2
3.1	General Tasks	2
3.2	Detail Tasks	2
3.2.1	Phase I (Pre-Induction)	2
3.2.2	Phase II (Repair)	3
3.2.3	Phase III (Inspection, Testing and Acceptance)	3
3.2.4	Phase IV (Packaging, Handling, Storage and Transportation (PHS&T))	3
3.3	Government Furnished Equipment (GFE)/Government Furnished Materiel	
	(GFM) Accountability	4
3.4	Contractor Furnished Materiel (CFM)	4
3.5	Electrostatic Discharge (ESD) Control Program	4
3.6	Quality Assurance Provisions	4
3.7	Acceptance	5
3.8	Rejection	5
3.9	Configuration Control	5
4.0	Reports	5
4.1	Test/Inspection Report	5
4.2	Repairable Item Inspection Report	5
4.3	Monthly Progress Report	5
4.4	Pre-Induction Checklist	5
A 1°		

Appendix A Standard Form 364 (Rev. 2-80)

#### STATEMENT OF WORK FOR THE

Repair of Management Processor CCA (5998-01-455-1523)

P/N: 176920-100; CAGE: 13973

- 1.0 Scope. This Statement of Work (SOW) establishes, sets forth tasks, and identifies the work effort that shall be performed by the Contractor to repair the Management Processor CCA, 5998-01-455-1523; hereafter referred to as the MPR CCA. The MPR CCA, Drawing Number 176920, CAGE 13973, is a component of the Sector Anti-Air Warfare Facility (SAAWF), AN/TYQ-87. This document contains requirements to restore the MPR CCA to Condition Code "A". Condition Code A is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."
- 1.1 <u>Background</u>. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement.
- 2.0 Applicable Documents. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

### 2.1 Military Standards

MIL-STD-129 DoD Standard Practice for Military Marking

MIL-STD-2073-1C DoD Standard Practice for Military Packaging

Military Standards (For Reference Only)

MIL-STD-973 Configuration Management

**2.2** Other Government Documents and Publications: The issues of those documents cited below shall be used.

PL 176920 Parts List, Management Processor CCA 176920 Drawing, Management Processor CCA

176920-720 Test Specifications 176920-750 Test Procedures

Document No. 176900-921 Tech Manual, Operation And Maint Manual, Advanced

Tactical Communications Gateway

DSD-TP-0044-10-000 Users Manual, Sector Anti-Air Warfare Facility

DOD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A Requisitioning of Contractor Furnished Materiel From the

Federal Supply System

## 2.3 Industry Standards

ANSI/EIA-625 Requirements for Handling Electrostatic-Discharge

Sensitive ESDS Devices

ANSI/ISO/ASQC Q9003-1994 Quality Systems-Model for Quality Assurance in Final

Inspection and Test

(Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Defense Automation Production Service Philadelphia, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697-2179 or DSN 442-2179, or <a href="http://www.dodssp.daps.mil">http://www.dodssp.daps.mil</a>. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Base, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 851-3, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.)

# 3.0 Requirements

- 3.1 <u>General Tasks:</u> In fulfilling the specified requirements, the Contractor shall provide materials, labor, equipment, facilities and missing/repair parts, necessary to inspect, diagnose, restore, and test and calibrate the MPR CCA. Upon completion of repairing the subject item it shall be Condition Code "A".
- 3.2 <u>Detail Tasks:</u> The following tasks describe the different phases for repair of the MPR CCA:

Phase I Pre-Induction

Phase II Repair

Phase III Inspection, Testing and Acceptance

Phase IV Packaging, Handling, Storage and Transportation (PHS&T)

3.2.1 Phase I (Pre-Induction): A pre-induction inspection analysis shall be performed for each MPR CCA within five working days of induction into the Contractor's facility for evaluation of repair capability. If repair is not feasible, assign Condition Code "H" (CC "H"), notify Marine Corps Logistics Base (Code 844-1), Albany, Georgia for disposition instructions, otherwise assign CC "M" and induct into the repair cycle. The Pre-Induction Checklist (Appendix A) shall be used to report all anomalies and shall be provided to the government in accordance with section 4.0 of this SOW.

3.2.2 Phase II (Repair): After pre-induction tests and inspections have been completed, repair of the MPR CCA shall be accomplished in accordance with this SOW. Deficiencies noted on the Pre-Induction Checklist during Phase I shall be repaired/replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair.

#### a. Hardware

- (1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory replacement items, safety, and one-time use items. Unserviceable would include any of the above that failed to function properly.
- (2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.
- (3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.
- b. <u>Publications and Documentation</u>: In addition to the documents invoked in Section 3 of this SOW, the Contractor may use the following documents:"

PL 176920	Parts List, Management Processor CCA
176920	Drawing, Management Processor, CCA
176920-720	Test Specifications
176920-750	Test Procedures
DSD-TP-0044-10-000	Users Manual, Sector Anti-Air Warfare Facility
Document No. 176900-921	Tech Manual, Operation And Maint Manual, Advanced
	Tactical Communications Gateway

c. Any Modification Instructions (MIs) or Engineering Change Proposals (ECPs) not previously applied shall be incorporated.

# 3.2.3 Phase III (Inspection, Testing and Acceptance)

- a. Inspection, Testing and Acceptance of the MPR CCA shall be conducted in accordance with the documents listed in section 3.2.2.b and documentation retained by the manufacturer.
- b. The Contractor shall be responsible for conducting required tests in accordance with applicable procedures and specifications.
- c. The Contractor shall be responsible for correcting any deficiencies identified during inspection/testing. MCLB (Code 844-1), Albany, GA representatives may require the Contractor to repeat tests or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

### 3.2.4 Phase IV (Packaging, Handling, Storage and Transportation (PHS&T))

a. The Contractor shall be responsible for preservation and packaging of items being

repaired under the terms of this statement of work. Items scheduled for long term storage or shipment to overseas destinations shall be in accordance with the level A requirements of MIL-STD-2073-1C, Appendix J, Table J.Ia. Specialized Preservation Code "GX". Items scheduled for domestic shipment, immediate use and short-term storage shall be in accordance with level B requirements. All items subject to electrostatic sensitivity shall be packed into a reusable fast pack container.

- b. Marking of all items shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM)
  Accountability: GFE is government owned equipment authorized by contract for use by a commercial/Government contractor. It is neither consumed during production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into the product being manufactured/remanufactured under a contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements the Management Control Activity (MCA/Code 827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets.
- 3.4 <u>Contractor Furnished Materiel (CFM):</u> The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel (CFM) is required for repair parts, the contractor shall requisition repair parts through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP), Chapter 11 authorizes contractors to requisition through the DoD Supply System.
- 3.5 <u>Electrostatic Discharge (ESD) Control Program</u>: The contractor shall establish, implement and document an ESD control program following the guidelines provided in ANSI/EIA-625. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.
- 3.6 Quality Assurance Provisions: The Contractor shall provide and maintain a Quality System that as a minimum adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System Model for Quality Assurance in Final Inspection and Test. The program shall ensure quality throughout all areas to include processing, assembly, inspection, test, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the contractor shall be responsible for performance of all inspection requirements. The Government reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.

4

- 3.7 <u>Acceptance:</u> The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to inprocess review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and Marine Corps representatives shall be permitted to observe the work or to conduct an inspection.
- 3.8 <u>Rejection:</u> Failure to comply with any of the specified requirements listed herein shall be reason for rejection by MCLB Code 844-1, Albany, representative. The Contractor shall, at no additional cost to MCLB, Albany, Georgia, correct the deficiencies and repeat the verification until an acceptable compliance with acceptance test procedures is demonstrated.
- 3.9 <u>Configuration Control</u>: The contractor shall apply configuration control procedures to establish configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without receiving prior written authorization. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation or Request for Waiver. Paragraphs 5.4.3, 5.4.4 and Appendix E of MIL-STD-973 may be used as a guide.

### 4.0 Reports

- **4.1** <u>Test/Inspection Report:</u> The Contractor shall provide a Test/Inspection Report for each MPR CCA.
- **4.2** Repairable Item Inspection Report: The Contractor shall provide a Repairable Item Inspection Report for each MPR CCA. The report shall be identified by United States Marine Corps Serial Number.
- **4.3 Monthly Progress Report:** The Contractor shall provide a Monthly Progress Report summarizing the progress and status of the MPR CCA Program.
- **4.4 Pre-Induction Checklist:** The Contractor shall complete the Pre-Induction Inspection Checklist (Appendix A) for each MPR CCA repaired. These documents shall be available prior to final acceptance testing. One copy of each document shall be provided to MCLB (Code 844-1) Albany, Georgia, after final acceptance of the MPR CCA.

5

SISTER DISCRETANCE OF THE SECRETARY CODES  (d)  (d)  (d)  (d)  (d)  (d)  (d)  (d				INSTRU	TIONS	CO 4440 17	Panorting of	Item and Pack	egging Disc	enancies.	
TOURS OF NATES.  SIFTERS (Face and Address Include DF Color  SISTERS (Face and Address Include DF Color  SISTE	DEPARTMENT OF DEFENSE: DLAR 414	0.55/AR 735.11.2 NST 4920 9B/AFI	/NAVSUPII R 67.7/MCC	NST 4440.1 ) 4140.1B, j	27E/AFR 400.54/Mo processing Discrepan	co 4430.36, cy Reports A	gainst Foreig	m Military Sal	les Shipmen	is.	
PROPERTY SHARE (Funchase Order Superior	TIVILLAN AGENCIES: See FPMR handbo	ok cited in 19 (2)	(a).								
SINTERS NAME  1 SIGNERS NAME  2 NEXT SIGNED NAME  2 SIGNERS NAME  2 SIGNERS NAME OF COTNOCCE  3 SIGNERS NAME (CAR SIGNER)  4 SIGNERS NAME (CAR SIGNER)  5 SIGNERS NAME (CAR SIGNER)  6 SIGNERS		OK 27120 III 3- 1-7	· · · · · · · · · · · · · · · · · · ·		DATE OF PREPARATION	ON	2 REPORT N	ÚMBER			
TO Discretion Address, Notice III Podds  1. SELFFERS NAME  2. SELFFERS NAME  2. SELFFERS NAME  2. SELFFERS NAME  3. SELFFERS NAME  3. SELFFERS NAME  3. SELFFERS NAME  4. SELFFERS NAME  5. SELFFERS NAME  5. SELFFERS NAME  5. SELFFERS NAME  6. SELF		m.o									
1. STEPPERS NAME  1. STEPPERS		ING			FROM: (Name and Addre	ess. Include 21P (	Code)				
SIPPORT BILLING AND MCCEPT DATA  SIPPORT BILLING AND MCCEPT DATA  SISPORT SISPER  (d)  DSC SEPRENCY CODES  SILL ED  S	TO: (Name and Address, Include ZIP Code)			•							
SIPPORT BLUNG, NO BECEPT DATA  SISTANT SUBSECTION BLUNG, NO BECEPT DATA											
DECEMBER Planetons (Principles Administration)  SIPPLATE BALLING, AND SECURITI NATA  SIPPLATE BALLING, AND SECURITI NATA  NOMENICA VITUAL  (a)  DECEMBER OF SECURITI NATA  SIPPLATE BALLING, AND SECURITI NATA  NOMENICA VITUAL  (b)  DECEMBER OF SECURITI NATA  SISTER SECURITI NATA  (c)  DECEMBER OF SECURITI NATA  SISTER SECURITI NATA  (d)  DECEMBER OF SECURITI NATA  (e)  DECEMBER OF SECURITI NATA  (e)  DECEMBER OF SECURITI NATA  (f)  DECEMBER OF SECURITI NATA  (h)  DECEMBER OF					S NI MRES AND DATE	OF INVOICE	5c. TRANSPO	RTATION DOCL	MENT NUMB	ER	
SEPARATION DILENS, AND RECEIPT DATA  SEPARATION DILENS, AND RECEIPT DATA  NENDTAT TURNERS AND NOMENCLATURE  OF SEPARATION DILENS, AND RECEIPT DATA  NENDTAT TURNERS AND NOMENCLATURE  OF SEPARATION DILENS, AND RECEIPT DATA  SERVICE DILENS DILENS DILENS DILENS DIRECTORY NOMENCLATURE  OF SEPARATION DILENS, AND RECEIPT DATA  10 (1) (1) (1) (1) (2) (1) (1) (2) (3) (4) (5) (5) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7	a Shippers name				O. NORIDER IN C. DATE		(GBL, W	aybill, TCN, etc.)			
SEPSENDING CONTROL DELING, AND RECEIPT DATA  NISNEAR TRUMERS AND N											
SIPPACH NAME OF A STREAM OF A	2 SHIPPER'S NUMBER (Purchase Order/Shipmnes.	7b. OFFICE ADMI	NISTERING CO	ONTRACT	, , , , , , , , , , , , , , , , , , , ,	i		ER'S NUMBER (	Requisition Pur	chase Request,	
SIPPLY DOCUMENTAL SUPPLY CODES  CONCITION OF MATERIA.  C1 - December and an apparate phose of paper of omerany)  Discrepancy Codes  C2 - Design and a second of an apparate phose of paper of omerany)  Discrepancy Codes  C3 - Design and C3 - Design and C4							eic.)				
SUPPLIES SELECTION OF MATERIAL  (I)  DECAPPANY CODES  (I)  (I)  DECAPPANY CODES  (I)  (I)  DECAPPANY CODES  (I)  (II)  DECAPPANY CODES  (III)  DECAPPANY CODES		<u> </u>				10	DISCREPA	NCV DATA		Hi	
SECRETION OF MATERIAL  (a)  1 DISCREPANCY CODES  (b)  1 DISCREPANCY CODES  1 DISCREPANCY CODES  1 DISCREPANCY CODES  1 DISCREPANCY CODES  2 ACTION CODES  2 ACTION CODES  2 ACTION CODES  2 ACTION CODES  3 DISCREPANCY CODES  2 ACTION CODES  3 DISCREPANCY CODES  4 DISCREPANCY CODES  2 ACTION CODES  3 DISCREPANCY CODES  4 DISCREPANCY CODES  4 DISCREPANCY CODES  4 DISCREPANCY CODES  5 DISC	SIIPMENT	BILLING, AND RECEI				i			т	2	
DISCREPANCY CODES  1 DISCREPANCY CODES  2 DISCREPANCY CODES  2 DISCREPANCY CODES  2 DISCREPANCY CODES  2 DISCREPANCY CODES  3 DISCREPANCY CODES  4 DISCREPANCY CODES  5 DISCREPAN									CODE	CODE	
CONDITION OF MATERIAL  1 DISCREANLY CODES  1 DISCREANLY CODES  1 DISCREANLY CODES  2 ACTION CODES  2 ACTION CODES  1 DISCREANLY CODES  2 ACTION CODES  2 ACTION CODES  1 DISCREANLY CODES  2 ACTION CODES  3 DISCREANLY CODES  4 DISCREANLY CODES  4 DISCREANLY CODES  4 DISCREANLY CODES  5 D	NOMENCEATORE		ISSUE	BILLED		(4)	(b)	(0)	(d)		
CONDITION OF MATERIAL  C1 - In condition other than that indicated on release/needed of the condition of the property of the condition of the	(a)		(b)	(=)	(d)	(a)	(6)	(6)	1 10		
DISCREPANCY CODES  1 DISCREPANCY CODES  1 DISCREPANCY CODES  1 PRODUCT QUALITY DEFICIENCIES C1 - In condition on the than that indicated on reteasoffice from which (epiptualite to Grout Aid and FMS thipmore) reteasofficeire document C1 - Experted thick of SIONATAGE OF MAI ERAL C3 - Quantity used than the intercept document C4 - Discrepancy operation required (folder has with of state peak) C5 - Non-produce from the property processed C6 - Quantity used than the intercept document C6 - Quantity in creamed that subciry C6 - Quantity in creamed that an intercept document C6 - Quantity in creamed that on recept document C7 - Discrepancy operational markings making C7 - Higgibte or Mail state C7 - Service shall be a state of the required (folder than with of state peak) C8 - Quantity in creamed that on recept document C8 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that in a superior copy in lieur 9 C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that in a superior copy in lieur 9 C9 - Quantity in creamed that in strength of the superior complete C9 - Quantity in creamed that in strength of the superior complete C9 - Quantity in creamed that on recept document equantity of the product of the superior complete C9 - Quantity in creamed that on recept document equantity of the product of the superior complete on the superior complete on the superior							1				
DISCREPANCY CODES  1 DISCREPANCY CODES  1 DISCREPANCY CODES  1 PRODUCT QUALITY DEFICIENCIES C1 - In condition on the than that indicated on reteasoffice from which (epiptualite to Grout Aid and FMS thipmore) reteasofficeire document C1 - Experted thick of SIONATAGE OF MAI ERAL C3 - Quantity used than the intercept document C4 - Discrepancy operation required (folder has with of state peak) C5 - Non-produce from the property processed C6 - Quantity used than the intercept document C6 - Quantity in creamed that subciry C6 - Quantity in creamed that an intercept document C6 - Quantity in creamed that on recept document C7 - Discrepancy operational markings making C7 - Higgibte or Mail state C7 - Service shall be a state of the required (folder than with of state peak) C8 - Quantity in creamed that on recept document C8 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that in a superior copy in lieur 9 C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that in a superior copy in lieur 9 C9 - Quantity in creamed that in strength of the superior complete C9 - Quantity in creamed that in strength of the superior complete C9 - Quantity in creamed that on recept document equantity of the product of the superior complete C9 - Quantity in creamed that on recept document equantity of the product of the superior complete on the superior complete on the superior				ļ	!	1 !		i			
DISCREPANCY CODES  1 DISCREPANCY CODES  1 DISCREPANCY CODES  1 PRODUCT QUALITY DEFICIENCIES C1 - In condition on the than that indicated on reteasoffice from which (epiptualite to Grout Aid and FMS thipmore) reteasofficeire document C1 - Experted thick of SIONATAGE OF MAI ERAL C3 - Quantity used than the intercept document C4 - Discrepancy operation required (folder has with of state peak) C5 - Non-produce from the property processed C6 - Quantity used than the intercept document C6 - Quantity in creamed that subciry C6 - Quantity in creamed that an intercept document C6 - Quantity in creamed that on recept document C7 - Discrepancy operational markings making C7 - Higgibte or Mail state C7 - Service shall be a state of the required (folder than with of state peak) C8 - Quantity in creamed that on recept document C8 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that in a superior copy in lieur 9 C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that in a superior copy in lieur 9 C9 - Quantity in creamed that in strength of the superior complete C9 - Quantity in creamed that in strength of the superior complete C9 - Quantity in creamed that on recept document equantity of the product of the superior complete C9 - Quantity in creamed that on recept document equantity of the product of the superior complete on the superior complete on the superior					1	1 1		1	ļ		
DISCREPANCY CODES  1 DISCREPANCY CODES  1 DISCREPANCY CODES  1 PRODUCT QUALITY DEFICIENCIES C1 - In condition on the than that indicated on reteasoffice from which (epiptualite to Grout Aid and FMS thipmore) reteasofficeire document C1 - Experted thick of SIONATAGE OF MAI ERAL C3 - Quantity used than the intercept document C4 - Discrepancy operation required (folder has with of state peak) C5 - Non-produce from the property processed C6 - Quantity used than the intercept document C6 - Quantity in creamed that subciry C6 - Quantity in creamed that an intercept document C6 - Quantity in creamed that on recept document C7 - Discrepancy operational markings making C7 - Higgibte or Mail state C7 - Service shall be a state of the required (folder than with of state peak) C8 - Quantity in creamed that on recept document C8 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that in a superior copy in lieur 9 C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that in a superior copy in lieur 9 C9 - Quantity in creamed that in strength of the superior complete C9 - Quantity in creamed that in strength of the superior complete C9 - Quantity in creamed that on recept document equantity of the product of the superior complete C9 - Quantity in creamed that on recept document equantity of the product of the superior complete on the superior complete on the superior					•	1		i	1		
DISCREPANCY CODES  1 DISCREPANCY CODES  1 DISCREPANCY CODES  1 PRODUCT QUALITY DEFICIENCIES C1 - Lo condition other than that indicated on release/frecise document C2 - Expired the fill of S1 - Quantity be to then the intercept document C3 - Damaged parcel post hipment C3 - Damaged parcel post hipment C3 - Damaged parcel post hipment C4 - Discrepancy Damaged parcel post hipment C5 - Damaged parcel post hipment C6 - Damaged parcel post hipment C7 - Damaged parcel post hipment C8 - Non-secret Parcel Par						1					
DISCREPANCY CODES  1 DISCREPANCY CODES  1 DISCREPANCY CODES  1 PRODUCT QUALITY DEFICIENCIES C1 - In condition on the than that indicated on reteasoffice from which (epiptualite to Grout Aid and FMS thipmore) reteasofficeire document C1 - Experted thick of SIONATAGE OF MAI ERAL C3 - Quantity used than the intercept document C4 - Discrepancy operation required (folder has with of state peak) C5 - Non-produce from the property processed C6 - Quantity used than the intercept document C6 - Quantity in creamed that subciry C6 - Quantity in creamed that an intercept document C6 - Quantity in creamed that on recept document C7 - Discrepancy operational markings making C7 - Higgibte or Mail state C7 - Service shall be a state of the required (folder than with of state peak) C8 - Quantity in creamed that on recept document C8 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that in a superior copy in lieur 9 C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that on recept document C9 - Quantity in creamed that in a superior copy in lieur 9 C9 - Quantity in creamed that in strength of the superior complete C9 - Quantity in creamed that in strength of the superior complete C9 - Quantity in creamed that on recept document equantity of the product of the superior complete C9 - Quantity in creamed that on recept document equantity of the product of the superior complete on the superior complete on the superior						1		ļ			
DISCREPANCY CODES  1 DISCREPANCY CODES  1 DISCREPANCY CODES  1 PRODUCT QUALITY DEFICIENCIES C1 - In condition other than that indicated on reteasprisein document of the substitution of the transport of the product of the control of					Ì	]					
DISCREPANCY CODES    DISCREPANCY CODES				1		1		ļ	1		
DISCREPANCY CODES    DISCREPANCY CODES			L	1,			L	<u> </u>			
CONDITION OF MATERIAL  C1 - Is condition other than that indicated on releast/recipit document  C2 - Expired shelf life  C3 - Danged parted post shipment  SIPPLY DOCUMENTATION  D1 - Register or without authority  (Date when receipt connect be properly processed)  MSDIRECTED ATTEMNATION  D2 - Higgible or multilated  D3 - Incomplete, Improper or without authority  (Date when receipt connect be properly processed)  MSDIRECTED ATTEMNATION  D3 - Incomplete, Improper or without authority  (Date when receipt connect be properly processed)  MSDIRECTED ATTEMNATION  D1 - Processional processed on the properly processed)  MSDIRECTED ATTEMNATION  D2 - Higgible or multilated  D3 - Receipt connection of the received of the property processed)  MSDIRECTED ATTEMNATION  D3 - Incomplete, Improper or without authority  (Date when receipt connect be properly processed)  MSDIRECTED ATTEMNATION  D4 - Integrated to wrong sactivity  D5 - Servicessibility precessed of the received of the received at the processed of the received of the processed of the received of the received of the received of the processed of the received											
CONDITION OF NATERIAL  (1-1) condition other than that indicated on released receipt document  (2-1) for condition of the file  (3-1) Engaged or per disputed  (3-2) Engaged or per disputed  (3-3) Engaged or per disputed  (3-4) Engaged or per disputed  (3-5) Engaged or per disputed  (3-6) Engaged or per disputed  (3-6) Engaged or per disputed  (3-7) Engaged or per disputed  (3-8) Engaged or per disputed  (3-9) Engaged or per disputed  (3-1) Engaged or per disputed or		) DISCREPA	NCY CODES					2 ACTI	ON CODES		
C1- In condition other that that indicated on releastfociety document C2- Expired their life C3- Damaged parted post shipment S1PPLY DOCUMENTATION S1PPLY DO	CONDITION OF MATERIAL		PRODUCT	QUALITY DE	FICIENCIES	CITE ALIAN AND	, LA Dist	hauring angleiichde	chemicsted (Rec	di un reterre)	
C1. Expired shelf-life C3. Demando parcel post shipment C4. Demando parcel post shipment C5. Demando parcel post shipment C5. Demando parcel post shipment C6. Demand						r mr s snipmena)	<ul> <li>1B - Material being retained (See Remarks)</li> </ul>				
S1. Quantity lear than that requested (Unit han unit of the Jack)  S1. Non-receipt of preced post hippments  D1. Heighbe or mutilitated  D3. Incomplete, Improper or without authority  (Only when needy connect be properly processed)  MSDIRECTED MATERIAL  M1. Addressed to wrong activity  O1. Quantity in excess of that on receipt document  O2. Quantity in excess of that on receipt document  O2. Quantity in excess of that on receipt document  O3. Quantity in excess of that on receipt document  O3. Quantity in excess of that on receipt document  O3. Quantity in excess of that requested (Other than unit of tissue pack)  O3. Quantity duplicace shipment  PACKING DISCREPANCY  P1. Improper preservation  P2. Improper preservation  D3. Incomplete, Improper or without authority  O3. Quantity in excess of that on receipt document  O4. Quantity in excess of that on receipt document  O4. Quantity in excess of that requested (Other than unit of tissue pack)  O3. Quantity duplicace shipment  P3. Improper preservation  D3. Incomplete, Improper or without authority  O4. Quantity in excess of that on receipt document  O4. Quantity in excess of that on receipt document  O5. Serviceability operating data missing or incomplete  T5. Serviceability operating data missing or incomplete  T6. Warrany data missing  WRNON TERM Identity requested item as a separate copy in Item 9  about 18. Addressed without 18. Appendix of the pack of the pa			St - Ouan	tity less than th	that on receipt document IC - Supporting supply documentation				umentation requ	iested ent (Not	
SIPPLY DOCUMENTATION  ID: Not received  D1: Not received  D2: Rigible or mailitand  D3: Recomplete, Improper or without authority  (Only when receipt connot be properly processed)  MSDIRECTED MATERIAL.  M1: Addressed to wrong activity  OVERAGEDUPLICATE SHIPMENTS  O1: Quantity in excess of that requested (Other than unit of issue pack)  O1: Quantity in excess of that requested (Other than unit of issue pack)  O1: Quantity in excess of that requested (Other than unit of issue pack)  O1: Quantity in excess of that requested (Other than unit of issue pack)  O1: Quantity in excess of that requested (Other than unit of issue pack)  O2: Quantity in excess of that requested (Other than unit of issue pack)  O3: Quantity in excess of that requested (Other than unit of issue pack)  O4: Quantity in excess of that requested (Other than unit of issue pack)  O5: Quantity in excess of that requested (Other than unit of issue pack)  O6: Quantity in excess of that requested (Other than unit of issue pack)  O5: Quantity in excess of that requested (Other than unit of issue pack)  O6: Quantity in excess of that requested (Other than unit of issue pack)  O6: Quantity in excess of that requested (Other than unit of issue pack)  O6: Quantity in excess of that requested (Other than unit of issue pack)  O6: Quantity in excess of that requested (Other than unit of issue pack)  O7: See Remarks  O7: See R	C3 - Damaged parcel post shipment		S2 - Quan	tity less than th	applicable to FMS)				extense mitais	EIII JAVOT	
D2 - Blegible or mutilated D3 - Bacomplete, Improper or without authority T1 - Missing T2 - Blegible or mutilated T3 - Procautionary operational markings missing T3 - Procautionary operational markings missing T3 - Procautionary operational markings missing T4 - Impection data missing or incomplete T5 - Serviceability operating data missing or incomplete T6 - Quantity in excess of that requested (Nat applice T6 - Warning data missing or incomplete T6 - Quantity in excess of that requested (Other than unit of issue pack) O1 - Quantity in excess of that requested (Other than unit of issue pack) O2 - Quantity in excess of that requested (Other than unit of issue pack) O3 - Quantity in excess of that requested (Other than unit of issue pack) O4 - Quantity in excess of that requested (Other than unit of issue pack) O5 - Quantity in excess of that requested (Other than unit of issue pack) O5 - Quantity in excess of that requested (Other than unit of issue pack) O6 - Quantity in excess of that requested (Other than unit of issue pack) O7 - Quantity in excess of that requested (Other than unit of issue pack) O7 - Quantity in excess of that requested (Other than unit of issue pack) O7 - Quantity in excess of that requested (Other than unit of issue pack) O7 - Quantity in excess of that requested (Other than unit of issue pack) O7 - Quantity in excess of that requested (Other than unit of issue pack) O7 - Quantity in excess of that requested (Other than unit of issue pack) O7 - Quantity in excess of that requested (Other than unit of issue pack) O7 - Quantity in excess of that requested (Other than unit of issue pack) O7 - Quantity in excess of that requested (Other than unit of issue pack) O7 - Quantity in excess of that requested (Other than unit of issue pack) O7 - Quantity in excess of that requested (Other than unit of issue pack) O7 - Quantity in excess of that requested (Other than unit of issue pack) O7 - Quantity in excess of that requested (Other than unit of			ITEM 1EC	HNICAL DAT	ATA MARKINGS (i.e., Nume Plates, Log IE - Local purchase material to be return				d to be returned	at supplier's	
10.3 - Becomplete, improper on without authority (Cody when neetic cannot be properly processed) (I.2 - Illegible or Mutiliated MISDIRECTED MATERIAL II.3 - Procentionary operational markings missing MISDIRECTED MATERIAL II.4 - Interested on wrong activity OVERAGE/DUPLICATE SHIPMENTS II.4 - Interested of this missing or incomplete II.5 - Serviceability operating data missing or incomplete II.6 - Reshipment no required (tem to be re-requ WRONG ITEM (Identify requested litem as a separate copy in litem 9 above) WRONG ITEM (Identify requested litem as a separate copy in litem 9 above) WI. Incorrect item received WI. Unacceptable substitute OTHER DISCREPANCES II.5 - See Remarks  II.5 - Other action required (Other action required (See remarks)) II.7 - Other action required (Icem to be re-requ III.4 - Other action required (See remarks)  II.7 - Other action required (Icem to be re-requ III.4 - Other action required (Icem to be re-requ III.4 - Other action required (Icem to be re-requ III.4 - Other action required (Icem to be re-requ III.4 - Other action required (Icem to be re-requ III.4 - Other action required (Icem to be re-requ III.4 - Other action required (Icem to be re-requ III.4 - Other action required (Icem to be re-requ III.4 - Other action required (Icem to be re-requ III.4 - Other action required (Icem to be re-requ III.4 - Other action required (Icem to be re-requ III.4 - Other action required (Icem to be re-requ III.4 - Other action required (Icem to be re-requ III.4 - Other action required (Icem to be re-requ III.4 - Other action required (Icem to be re-requ III.4 - Other action required (Icem to PMS) III.4 - Other			Books, Op	erating Handba	u i e I					rio ine contrai reverse) (Not	
MSDIRECTED MATERIAL  M1 - Addressed to wrong setivity  OVERAGEDURLICATE SETIMENTS  O1 - Quantity in excess of that requested (Other than unit of itsue pack)  O2 - Quantity in excess of that requested (Other than unit of itsue pack)  O3 - Quantity in excess of that requested (Other than unit of itsue pack)  O4 - Quantity in excess of that requested (Other than unit of itsue pack)  O5 - Quantity in excess of that requested (Other than unit of itsue pack)  O5 - Quantity in excess of that requested (Other than unit of itsue pack)  O5 - Quantity in excess of that requested (Other than unit of itsue pack)  O5 - Warranty data mining  WNOND (TEM, Identify requested item as a separate copy in Item 9 above)  W1 - Incorrect item received  W2 - Unacceptable substitute  OTHER DISCREPANCIES  D1 Improper Marking  P4 - Improper Marking  P4 - Improper Marking  P5 - Standard OFFICIAL  14b. SIGNATURE  15 - DISTRIBUTION ADDRESSEES FOR COPIES  OTHER DISTRIBUTION ADDRESSEES FOR COPIES  OTHER DISTRIBUTION ADDRESSEES FOR COPIES  OTHER DISTRIBUTION ADDRESSEES FOR COPIES  STANDARD FORM 364 (Rev.	D3 - Incomplete, Improper or without authority				applicable to FMS)						
M1 - Addressed to wrong activity OVERAGE/DIPLICATE SHIPMENTS 15 - Serviceability operating data missing or incomplete 16 - Quantity in excess of that non-seeligt document 16 - Warranty data missing 17 - Warranty data missing 18 - Warranty data missing 19 - Quantity in process of that non-seeligt document 19 - Improper preservation 19 - Improper preservation 19 - Improper preservation 19 - Improper packing 19 - Improper marking 19 - Improper marking 19 - Improper marking 19 - Improper marking 10 - Reshipment not required. (Icom to be re-required.) 11 - Warranty data missing or incomplete 12 - Other action required. (Icom to be re-required.) 13 - Colher action required. (Icom to be re-required.) 14 - Other action required. (Icom to be re-required.) 15 - Warranty data missing or incomplete 16 - Reshipment not required. (Icom to be re-required.) 16 - Reshipment not required. (Icom to be re-required.) 16 - Reshipment not required. (Icom to be re-required.) 16 - Reshipment not required. (Icom to be re-required.) 17 - Other action required. (Icom to be re-required.) 18 - No action required. (Icom to be re-required.) 19 - Improper preservation 19 - Improper preservation 20 - Quantity in excess of that required. (Icom to be re-required.) 21 - Other action required. (Icom to be re-required.) 22 - Quantity in excess of that required. (Icom to be re-required.) 23 - Other action required. (Icom to be re-required.) 24 - Other action required. (Icom to be re-required.) 25 - Other action required. 26 - Reshipment not required. (Icom to be re-required.) 26 - Reshipment not required. 27 - Other action required. 28 - Other action required. 29 - Other action required. 29 - Other action required. 20 - Other action required. 20 - Other action required. 21 - Other action required. 21 - Other action required. 22 - Other action required. 23 - Other action required. 24 - Other action required. 25 - Other action required. 26 - Reshipment not required. 27 - Other action required. 28 - Other action required. 29 - Other action required. 29			T3 - Proce	suttionary opera	crational markings missing IF - Replacement ship			lacement shipment	ipment requested (Not applicable to		
OVERAGE DUTCH. AT STIMUTION ADDRESSEES FOR COPIES  16. Quantity in excess of that on receipt document O2. Quantity in excess of that requested (Other than unit of issue pack) O3. Quantity in excess of that requested (Other than unit of issue pack) O3. Quantity in excess of that requested (Other than unit of issue pack) O3. Quantity in excess of that requested (Other than unit of issue pack) O4. Quantity in excess of that requested (Other than unit of issue pack) O4. Quantity in excess of that requested (Other than unit of issue pack) O5. Quantity in excess of that requested (Other than unit of issue pack) O5. Quantity in excess of that requested (Other than unit of issue pack) O5. Quantity in excess of that requested (Other than unit of issue pack) O5. Quantity in excess of that requested (Other than unit of issue pack) O5. Quantity in excess of that requested (Information only) O5. Quantity i			T4 Inspe	ection data miss	nissing or incomplete PMS)					c-requisitione	
O2 - Quantity in excess of that requested (Other than unit of issue pack) O3 - Quantity duplicate shipment O4 - Quantity in excess of that requested (Other than unit of issue pack) O4 - Quantity duplicate shipment O5 - Quantity in excess of that requested (Other than unit of issue pack) O5 - Quantity in excess of that requested (Other than unit of issue pack) O5 - Quantity in excess of that requested (Other than unit of issue pack) O5 - Quantity in excess of that requested (New Temporary of the Other Issue) O5 - Quantity in excess of that requested (New Temporary of the Other Issue) O5 - Quantity in excess of that requested (New Temporary of the Other Issue) O5 - Quantity in excess of that requested (New Temporary of the Other Issue) O5 - Quantity in excess of that requested (New Temporary of the Other Issue) O5 - Quantity of the Other Issue (Other Issue (Oth					1H - No action required Information on					·	
O. Quantity duplicate shipment  Adobus PACKING DISCREPANCY W1 - Incorrect item reactived W2 - Unacceptable substitute W2 - Unacceptable substitute W3 - Unacceptable substitute W4 - Improper packing W4 - Improper packing W5 - Improper varietization W6 - Improper varietization W7 - Improper varietization W6 - I	O1 - Quantity in excess of that on receipt document O2 - Onantity in excess of that requested (Other than 8	nii of issue pack)				сорузн Лет 9	1Z - Oth	er action requested	(See remarks)		
P1 - Improper preservation P2 - Improper preservation P3 - Improper preservation P3 - Improper Marking P3 - Improper Marking P4 - Improper Marking P3 - Improper Marking P4 - Improper unitization P3 - FUNDING AND ACCOUNTING DATA  P4 - TYPED OR PRINTED NAME, TITLE, AND PHONE NUMBER OF PREPARING OFFICIAL  P4 - TYPED OR PRINTED NAME, TITLE, AND PHONE NUMBER OF PREPARING OFFICIAL  P5 - DISTRIBUTION ADDRESSERS FOR COPIES  P6 - DISTRIBUTION ADDRESSERS FOR COPIES  P7 - DISTRIBUTION ADDRESSERS FOR COPIES  P7 - DISTRIBUTION ADDRESSERS FOR COPIES  P8 - DISTRIBUTION ADDRESSERS FOR COPIES	O3 - Quantity duplicate shipment			لمديد بعمرا يمس	wed						
P2 - Improper packing P3 - Improper Marking P4 - Improper Marking P4 - Improper Marking P3 - Improper Unitization P3 - FUNDING AND ACCOUNTING DATA  P4 - TYPED OR PRINTED NAME, TITLE, AND PHONE NUMBER OF PREPARING OFFICIAL  P4 - TYPED OR PRINTED NAME, TITLE, AND PHONE NUMBER OF PREPARING OFFICIAL  P5 - DISTRIBUTION ADDRESSERS FOR COPIES  P6 - DISTRIBUTION ADDRESSERS FOR COPIES  P7 - Improper packing P8 - Improper packing P9 - Improper pa							1				
P3 Improper Marking P4 Improper unitization P3 Improper unitization P3 Improper unitization P4 Improper unitization P5 IMPROPER UNITIES AND PHONE NUMBER OF PREFARING OFFICIAL P6 IMPROPER UNITIES AND PHONE NUMBER OF PREFARING OFFICIAL P6 IMPROPER UNITIES AND PHONE NUMBER OF PREFARING OFFICIAL P6 IMPROPER UNITIES AND PHONE UNITIES AND PHONE UNITIES AND PHONE UNITIES AND PORT OF THE PROPERTY OF THE			OTHER D	ISCREPANCII							
13 FUNDING AND ACCOUNTING DATA  146. TYPED OR PRINTED NAME, TITLE, AND PHONE NUMBER OF PREPARING OFFICIAL  146. SIGNATURE  15. DISTRIBUTION ADDRESSEES FOR COPIES  (Company) of the best to be stated to	P3 Improper Marking		ZI · See	r Remarks			Į				
146. TYPED OR PRINTED NAME, TITLE, AND PHONE NUMBER OF PREFARING OFFICIAL  15. DISTRIBUTION ADDRESSERS FOR COPIES  (Company) of the left o											
15. DISTRIBUTION ADDRESSEES FOR COPIES  (Description to be detail STANDARD FORM 364; Rev.	19 TO DESIGN AND ACCOUNTING DATA										
15. DISTRIBUTION ADDRESSEES FOR COPIES  (Description to be detail STANDARD FORM 364; Rev.	14. TVECTOR BUILTED MALLE TITLE AND BLO	NE NUMBER OF PRE	PARING OFFIC	JAL	14b. SIGNATUR	E					
On the state of th	148 THE OK PRINTED NAME, TITLE, AND THE	AD HOMBER OF THE									
/D											
/D											
304-103 7540-00-159-4442 (Previous edition is absolute) STANDARD FORM 364 (Rev	15. DISTRIBUTION ADDRESSEES FOR COPIES										
304-103 7540-00-159-4442 (Previous edition is obsolete) STANDARD FORM 364 (Rev											
304-103 7540-00-159-4442 (Previous edition is obsolete) STANDARD FORM 364 (Rev											
364-103 7540-00-159-4442 (Previous edition is absolute) STANDARD FORM 364 (Rev										_	
Presented by USA Prisis III a	364-103 7540-00-159-4442			(Previous ex	lition is obsaleta)			STANDA Prescribed	RD FORM 364 by OSA FPAIR	(Rev. 2.80) (F 101-20-0	

S. FROM		17 DISTRIBUTION ADI	DRESSEES FOR DISTRIBUTIO	N
., , , , , , , , , , , , , , , , , , ,				
TO:				
			Use w	rindow envelope to mail current. Insert Name and
			addre	ss, including ZIP Code,
			the left d	g one typing space below lot. Each address line must
			NOT e Address	extend beyond right dot. must not exceed four single
				space typing lines.
	AND LIGHT LIGHT OF CO.	NICCOEDANIOV ON	FACE OF THIS HODA	1
MATERIAL DOCUMENT NUM	NCE WITH NOTICE OF I			REPORT TO PROPER OFFICE UNDER
HAS WILL BE SHIPPED		b- APPROPRIA	ATE REGULATION.	
c AN ADJUSTMENT IN BILLING HAS BEEN/WILL BE PROCESSED AS A	DEBIT	4. INVOICE/B.		OOF OF DELIVERY (Parce) Port Shipments) OR IDENCE
f. An adjustment in billing for this reported disc	REPANCY WILL NOT BE PROC	ESSED FOR THE FOLLO	WING KEASON WHICH IS C	ITED IN THE INDICATED REGULATION
) REASON FOR NOT PROCESSING		(2)	PRESCRIATNG REGU	
(a) DISCREPANCY WAS NOT REPORTED WITHIN THE TIME	FRAMES ALLOWED AND/OR	MIRS GOD	MENTS, MATERIALS, OR BIL	
(b) DOLLAR VALUE DOES NOT MEET THE CRITERIA PRESC OR AGREEMENT INDICATED IN 191(2)		(MILBILLS	) AND/OR DD 1513, U.S. DOD	M. MILITARY STANDARD BILLING SYSTEM OFFER AND ACCEPTANCE, AS APPLICABLE
O. THE	FOLLOWING DISPOSITION IS TO			DAYS
PROCESS FOR DISPOSAL IN ACCORDANCE WITH SERVICE/AGENCY DIRECTIVES	b. REPRESENTATIVE DISPOSITION	WILL CALL FOR DISC	USSION CONCERNING	
c RETAIN MATERIAL AT NO CHARGE	d MATERIAL WILL	BE PICKED UP IN:		DAYS
c. SHIP MATERIAL Specify location)				
(1) UIL APPROPRIATION CHARGEABLE:				
(2) CHARGES COLLECT - VIA FREIG	GHT EXPRESS	PARCEL P	reer	(n
(4)		[]		NOTE: Please enclose postage. Material connot be returned Place Post collies.
(J) PARCEL POST LABEL ATTACHED	(4) FREIGHT PRE			LOTHOLOGIC
t OTHER (Specify)				
21 IF MATERIAL IS STILL REQUIRED.	22 REPLACEMENT	WITH SATISFACTORY	MATERIAL	DATE
SUBMIT NEW REQUISITION.	WILL BE MADE	ON/OK BELOKE		
23. REMARKS (Continue on separate sheet of paper if necessary).				
244 TYPED OR PRINTED NAME AND PHONE NUMBER OF	24b. SIGNATURE			24c DATE
PREFARING OFFICIAL				
				STANDARD FORM 364 BACK (KEV

(1 Data Item)

Form Approved OMB No. 0704-0188

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Heardquarters Services, Directorate for Information Operations and Reports (8701-0188), 1215-14ferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall the subject to any penalty for failing to comply with a collection of information if it does not display a corrently valid OMB control number.

Please DD NCT RETURN your form to the above address. Send completed from to the Government issuing Contracting Officer for the Contractific No. listed in Block E.

A. CONTRACT LINE	ITEM NO.	B. EXHIBIT		C. CATEGURY:	OTHEA	X		
D. SYSTEM/ITEM	<del></del>	l	E. CONTRACT/PR		F. CONTRA			
Manage	ment Processor CO	CA	:					
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE			
A001	Contractor's Pro	narece S	tatus and Ma	nagement Report				
4. AUTHORITY (Data Acqu		Jgress, D	5. CONTRACT REFEREN		<u>i</u>	6. REQUIRING OFFICE	<del></del>	
	I-MGMT-80227			SOW 4.3		MCLB (	(844-1)	
7. DD 250 REQ	9. DIST STATEMENT	10. FREQUENC	Y	12. DATE OF FIRST SUBMISSIO	) N	14. DISTRIBUTION		
LT	REQUIRED	N	ITHLY	See Blk 1	6		h COPII	ES .
8. APP CODE	Α.	11. AS DF DA	ΓĒ	13. DATE OF SUBSECUENT SUBMISSION		a. ADDRESSEE	Draft	Final
16. REMARKS	A			See Blk 1	6	MCI DA (944 1)	Reg	Repro
Contractor fo	rmat is authorized.					MCLBA (844-1)	0	1 0
Blk 4 - Tailor 10.3i, 10.3j,	DI-MGMT-80227 10.3k, and 10.3n.	as follo	ws: Delete par	ragraphs 10.3g, 10	).3h,	· · · · · · · · · · · · · · · · · · ·		
Blk 12 - The month. Initia	reporting period sh ll submission shall	all be fro be 60 Da	om the first to AC.	last business day	of each			
Blk 13 - Subseach month.	equent submissions	s shall be	10 days after	the last business	day of	i 		
Distribution S	Statement A: Appr	oved for	public release	e, distribution is w	nlimited.		<del> </del>	
	••		•					
								:
						I		
							-	·
							:	<u> </u>
							,	• 1
							, .	
								]
						15. TOTAL		1 0
G. PREPARED BY			H. DATE	I. APPROVED 8	Υ		J. DATE	. 0
Duch!	Huld	. (	7/24/0	e Yar	ures C	Dearing	8-02-	δ7)
DD FORM 1423	3-1, AUG 96 (ES)	( )	PF	REVIOUS EDITION MAY BE	USED.	1	Page of	Pages

(1 Data Item)

Form Approved OMB No. 0704-0188

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this nollection of information, including suggestions for reducing the burden, to Decentment of Detense. Washington Heacquarters Services, Directorate for information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Artington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid DMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to

A. CONTRACT LIN	IE ITEM NO.	B. EXHIBI	T	C. CATEGORY:	OTHER	X				
D. SYSTEM/ITEM Manag	ement Processor C	CCA	E. CONTRACT/PR NO.		F. CONTRA					
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE					
<b>D</b> (())1	D	. 11 7	T	D						
BOO1 Repairable Item Inspection Report  AUTHORITY Data Acquisition Document No.) 5. CONTRACT REFERENCE						6. REQUIRING OFFICE				
	DI-ILSS-80386		5. CUNTRACT HEFERE	SOW 4.2		MCLB	(844-1)			
7. DD 250 REQ	9. DIST STATEMENT	10. FREQUEN	CY	12. DATE OF FIRST SUBMISS	ION	14. DISTRIBUTION				
LT	REQUIRED		ASREQ	See Blk		14. pioringorius	1	p CCPIES		
8. APP CODE		11. AS OF DA		13. DATE OF SUBSEQUENT		a. ADDRESSEE		F. na	al	
	A	1		submission See Blk	16		Diaft	Rep :	Керно	
16. REMARKS  Contractor for	ormat is authorized	1				MCLBA (844-1)	0	1	0	
			ittad for each	Managamant Drag	cercor			İ		
CCA repaire	eperate report shal	i de sudin	med for each	wanagement From	CESSOI		1 :			
completion of	3 - Submit report b of each Manageme	nt Process	sor CCA.	- · · · · · · · · · · · · · · · · · · ·			1			
Distribution	Statement A: App	proved for	public release	e, distribution is u	ınlimited.		!			
	• •						i			
								ļ		
							. :	į		
								ŀ		
								!		
								:		
							i			
								· · · · · · · · · · · · · · · · · · ·		
							ļ			
							ļ			
								-		
						l				
							ļ			
•										
							·   ·	!		
							' '	•		
						İ				
							-			
						15. TOTAL	0	1	0	
G. PREPAR <b>ÇO</b> BY			H. DATE	I. APPROVED	ВҮ		J. DATI	E		
Kiel	CAUCA	$f(\frac{1}{\lambda})$	7/24/	a Kar	wer T	Clair	8-0	)- (	156	
DD FORM 142	23-1, AUG 96 (EG)	٦,	Р	REVIOUS EDITION MAY BE	E USED.	7	Page	of	Page:	

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0/10 188), 1215 Jefferson Davis Highway. Suita 1204, Arlington, VA 22202-4302 Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please 00 NOT RETURN your form to the above address. Send computed form to the Government Issuing Contracting Officer for the Contraction River.

A. CONTRACT LINE ITEM NO.  B. EXHIBIT  C. CATEGORY:  TOP  TM  OTHER  X						
D. SYSTEM/ITEM Manager	ment Processor Co	E. CONTRACT	TOP TM	F. CONTR		
L DATA ITEM NO.	2. TITLE OF DATA ITEM	,		3. SUBTITLE	·	
C001		Test/Inspection Rep	orts			
4. AUTHORITY /Data Acqui		5. CONTRACT REF			6. REQUIRING OFFICE	
DI	-NDTI-80809B		SOW 4.1		MCLB (	(844-1)
7. DO 250 REQ DD	9. DIST STATEMENT REQUIRED	10. FREQUENCY ASREQ	12. BATE OF FIRST SUBMIS See Blk		14. DISTRIBUTION	
8. APP CODE		11. AS OF DATE	13. DATE OF SUBSEQUENT	10	a. ADDRESSEE	b COPIES Lina
	Α		submission See Blk	16		Craft in Fig. Repro
16. REMARKS Contractor for	rmat is authorized				MCLBA (844-1)	0; 1 0
Blk 12 - Subn Acceptance Te Contractor wi	nit test report with esting. MCLBA v thin 30 days after	in 30 days after com will provide acceptar receipt.	npletion of Productince/nonacceptance t	on to the		
		scorporate any Gove proval cycle shall be ernment.			*	
		roved for public rele				; <u> </u>
	• •	•				
						• •
						.
						<del>  </del>
					: · · · · · · · · · · · · · · · · · · ·	
					1	
					-	,
						<u> </u>
						ļ <u></u>
					15. TOTAL -	0 1 0
G. PREPARED BY	400 del	H. DATE	I. APPROVED	BY  12.E) C	1)044	J. DATE
DD FORM 1423	-1, AUG 96(EG)	1/64/	PREVIOUS EDITION MAY E		ining.	Page of Pages

17. PRICE GROUP 18. ESTIMATED TOTAL PRICE

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188, 1215 Jefferson Davis Highway, Suite 1204, Arington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E

A. CONTRACT LINE I	TEM NO.	B. EXHIBIT	<b>✓</b>						
D OVOTERNITER		F. CONTRACTION	TDP TM	OTHER					
D. SYSTEM/ITEM Managen	nent Processor CO	E. CONTRACT/PR	NU.	F. CONTRA	ICIUK				
1. DATA ITEM NO.	2. TITLE OF DATA ITEM	<u> </u>		3. SUBTITLE	· · · · · · · · · · · · · · · · · · ·				17. PRICE GROU
D001		Request For Deviation	1	<u> </u>	Configuration Mar	nageme	ent	l	
4. AUTHORITY (Data Acquis		5. CONTRACT REFEREN			6. REQUIRING OFFICE	051			18. ESTIMATED TOTAL PRICE
7. DD 250 REQ	CMAN-80640B  9. DIST STATEMENT	10. FREQUENCY	SOW 3.9	n 81	MCLBA	A (851)	)		
LT	REQUIRED	ASREQ	See Blk 1		14. DISTRIBUTION		b COPIES		. !
8. APP CODE	_	11. AS OF DATE	13. DATE OF SUBSEQUENT		a. ADDRESSEE		Fi	nal .	i <b>L</b>
	A		SUBMISSION	_		Draft	Reg	Repro	
16. remarks Blk 4 - Contra	ctor format using	.doc or .pdf software	applications is aut	horized.	MCLBA (851-2)	0	1	O	
Blks 10 & 12 - nonconforming documentation	RFDs shall be su g material which o	abmitted to obtain authors not meet prescribe	orization to delive ed configuration	r					
		ocition determined with	hin 20 working da	ve unon					
•		osition determined with		ys upon		<u> </u>			
RFDs shall be	transmitted via e-	mail to the following a com.usmc.mil	ddress:		·				
momateomeon	ngimgimi@mate	Om.usinc.mii					L		
Distribution St	atement A: Appr	oved for public release	, distribution is u	nlimited					
						<u> </u>			
						<del> </del>			:
									:
						<del> </del>			
						1	•		
								]	
					· <u></u>				
							ļ		
						.			
						<u> </u>			
						<u> </u>			
						<b>_</b>	ļ		
						<u> </u>			
						<u> </u>	"		
						<del> </del>	ļ		
					15. TOTAL	0	1	0	
G. PREPARED BY		H. DATE	I. APPROVED B	Υ		J. DAT	E		
	Call.	21 Aug	60 /111	in A	· Crewy	9-	13-	δ7,	
DD FORM 1423.	1, AUG 96 (EG)		REVIOUS EDITION MAY BE		and f	Page _	 of	Pages	l
		_			Designed	using Perform			

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Cirlemse. Washington Headquarters Servines, Directorate for Information Operations and Reports (0701 0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202 1302. Respondents should be aware that notwritetanding any other provision of law, no person shall be subject to any penalty for falling to comply with a collection of information of the completed form to the Government Issuing Contracting Officer for the Contractific No. listed in Block E.

A. CONTRACT LINE ITEM NO. B. EXHIBIT C. CATEGORY:				NTHER	×				
D SYSTEMUTEM					F. CONTRA	***************************************			-
Management Processor CCA							1		
1. DATA ITEM NO.	2. TITLE OF DATA ITEM		I,	3. SUBTITLE	_				
D002		ъ	. F. W		Cfinantian Ma		•		
D002	2: 0	Reques	t For Waiver	ner		Configuration Man	nageme -	ent	
4. AUTHORITY (Data Acquiss	CMAN-80641B		S. CUNTRACT REFERE	SOW 3.9		MCLBA	4 (851)	)	
7. DD 250 REQ	9. DIST STATEMENT	10. FREQUEN	CY	12. DATE OF FIRST SUBMISSI	ION	14. DISTRIBUTION	. (001)		
LT	REQUIRED	A	ASREQ	See Blk 1	16		Γ	h COPIES	
B. APP CODE		11. AS DF DA	TE	13. DATE OF SUBSECUENT SUBMISSION		a. ADDRESSEE	Draft	Fii	nal
A	A			00000000			Drait	Rey	Repro
16. REMARKS						MCLBA (851-2)	0	1	0
	~		•	applications is aut			<u> </u>		
Blks 10 & 12 nonconforming documentation	RFWs shall be so material which of	ubmitted loes not	to obtain auth meet prescribe	norization to delived configuration	er	· · ·	-		
				thin 20 working d					
	transmitted via e figmngmnt@mate						ļ		
Distribution St	atement A: Appr	oved for	public release	e, distribution is u	ınlimited				
							l		l ——
						·	<b>-</b>		
									l
									· —
							<b>†</b>		1 1
									]
							ļ		
						· · · · · · · · · · · · · · · · ·	ł		
							-		
							<del>                                     </del>		
							$\Gamma$		
							<b> </b>		
							1		
G 00501555				1		15. TOTAL	0	1	0
G. PREPARED BY	Collins		H. DATE	1. APPROVED E	_	Oteny	J. DAT	E	
DD FORM 1423	1, AUG 96 (EG)		<u> </u>	REVIOUS EDITION MAY BE	USED.	vara-	Page	of	Pages

17. PRICE GROUP

18. ESTIMATED

TOTAL PRICE